1. Let $\omega = (1 + \sqrt{-3})/2$, and let $R = \{a + b\omega : a, b \in \mathbb{Z}\}$. Show that R is a ring. What are the units of R?

2. Show that a (non-trivial) ring R is a field if and only if the only ideals of R are $\{0\}$ and R.

3. An element r of a ring R is *nilpotent* if $r^n = 0$ for some n. What are the nilpotent elements of \mathbb{Z}_6 ? Of \mathbb{Z}_8 ? Of \mathbb{Z}_{24} ? Show that if r is nilpotent then 1 + r is a unit. Show also that the nilpotent elements form an ideal.

4. Let r be an element of a ring R. Show that, in R[X], the polynomial 1 + rX is a unit if and only if r is nilpotent. Is it possible for the polynomial 1 + X to be a product of two non-units?

5. Show that if p and q are coprime then the ring $\mathbb{Z}_p \oplus \mathbb{Z}_q$ is isomorphic to \mathbb{Z}_{pq} .

6. Let A and B be elements of the power-set ring $\mathbb{P}(S)$, for some set S. What is the principal ideal (A)? What is the ideal (A, B)?

7. Explain why, for p prime, there is a unique ring of order p. How many rings are there of order 4?

8. Let $I_1 \subset I_2 \subset I_3 \subset \ldots$ be ideals in a ring R. Show that the union $I = \bigcup_{n=1}^{\infty} I_n$ is also an ideal. If each I_n is proper, explain why I must be proper.

9. Let R be the ring C[0,1] of continuous real-valued functions on [0,1], and let $I = \{f \in R : f(x) = 0 \text{ for } 0 \le x \le \frac{1}{2}\}$. Show that I is an ideal. What is R/I?

10. Show that, for each $0 \le x \le 1$, the set of functions vanishing at x is a maximal ideal of C[0, 1]. Prove that all maximal ideals of C[0, 1] are of this form.

11. An element r of a ring R is *idempotent* if $r^2 = r$. What are the idempotent elements of \mathbb{Z}_6 ? Of \mathbb{Z}_8 ? Of \mathbb{Z}_{24} ? Show that if r is idempotent then so is 1 - r. Show also that if r is idempotent then (r) is naturally a ring, and that R is isomorphic to $(r) \oplus (1 - r)$.

12. A ring R is Boolean if every element of R is idempotent. For each n, exhibit a Boolean ring of order 2^n . Prove that every finite Boolean ring is isomorphic to a power-set ring $\mathbb{P}(S)$, for some set S. Give an example to show that this need not remain true for infinite Boolean rings.

13. For each n, give (with proof) an ideal of $\mathbb{Z}[X]$ that is generated by n elements but not by n-1 elements.

14. Is every abelian group the additive group of some ring?

15. Let R be a ring (not necessarily with 1), and suppose that for every non-zero $x \in R$ there exists $y \in R$ with $xy \neq 0$. Give an example to show that R need not have a 1. +What happens if R is finite?