

MATHEMATICAL TRIPOS PART II 2013
CODING AND CRYPTOGRAPHY
EXAMPLE SHEET 1

The first 12 examples are minimal to cover the course; you are also encouraged to try questions 13–16.

1 (i) Consider Morse code¹:

$$\begin{array}{lll} A \mapsto \bullet - * & B \mapsto - \bullet \bullet \bullet * & C \mapsto - \bullet - \bullet * \\ D \mapsto - \bullet \bullet * & E \mapsto \bullet * & F \mapsto \bullet \bullet - \bullet * \\ O \mapsto - - - * & S \mapsto \bullet \bullet \bullet * & 7 \mapsto - - \bullet \bullet \bullet * \end{array}$$

Decode $- \bullet - \bullet * - - - * - \bullet \bullet * \bullet *$.

(ii) Consider the ASCII (American Standard Code for Information Interchange):

$$\begin{array}{lll} A \mapsto 1000001 & B \mapsto 1000010 & C \mapsto 1000011 \\ a \mapsto 1100001 & b \mapsto 1100010 & c \mapsto 1100011 \\ + \mapsto 0101011 & ! \mapsto 0100001 & 7 \mapsto 0110111 \end{array}$$

Encode $b7!$. Decode 110001111000011100010 .

2 Consider two alphabets \mathcal{A} and \mathcal{B} and a coding function $c : \mathcal{A} \rightarrow \mathcal{B}^*$.

(i) Explain, without using the notion of prefix-free codes, why, if c is injective and fixed length, c is decodable. Explain why, if c is injective and fixed length, c is prefix-free.

(ii) Let $\mathcal{A} = \mathcal{B} = \{0, 1\}$. If $c(0) = 0$, $c(1) = 00$ show that c is injective but c^* is not.

(iii) Let $\mathcal{A} = \{1, 2, 3, 4, 5, 6\}$ and $\mathcal{B} = \{0, 1\}$. Show that there is a variable length coding c such that c is injective and all codewords have length 2 or less. Show that there is no decodable coding c such that all codewords have length 2 or less.

3 (i) Give an example of a decodable code which is not prefix-free.

(ii) Give an example of a non-decodable code which satisfies Kraft's inequality.

(iii) A *comma code* (like Morse code) is one where a special letter – comma – occurs at the end of each codeword and nowhere else. Show that an injective comma code is prefix-free and give a direct argument to show that it must satisfy Kraft's inequality.

4 The product of two codes $c_j : \mathcal{A}_j \rightarrow \mathcal{B}_j^*$ is the code

$$g : \mathcal{A}_1 \times \mathcal{A}_2 \rightarrow (\mathcal{B}_1 \cup \mathcal{B}_2)^*$$

given by $g(a_1, a_2) = c_1(a_1)c_2(a_2)$.

Show that the product of two prefix-free codes is prefix-free, but the product of a decodable code and a prefix-free code need not even be decodable.

¹After RMS *Titanic* hit an iceberg at 11.40 pm on 14 April 1912, the wireless operators Jack Philips and Harold Bride initially transmitted 'CQD-MGY, sinking, need immediate assistance,' later interspersed with the newer 'SOS' at the suggestion of Bride (CQD was still a widely understood distress signal at the time, and MGY was *Titanic's* call sign). Morse code was used as an international standard for maritime communication until 1999, when it was replaced by the Global Maritime Distress Safety System. When the French Navy ceased using Morse code on 31 January 1997, the final message transmitted was "Calling all. This is our last cry before our eternal silence".

5 (i) Apply Huffman's algorithm to the nine messages M_j where M_j has probability $j/45$ for $1 \leq j \leq 9$.

(ii) Consider four messages with the following properties: M_1 has probability .23, M_2 has probability .24, M_3 has probability .26 and M_4 has probability .27. Show that any assignment of the codewords 00, 01, 10 and 11 produces a best code in the sense of this course.

6 Consider 64 messages M_j with the following properties: M_1 has probability $1/2$, M_2 has probability $1/4$ and M_j has probability $1/248$ for $3 \leq j \leq 64$. Explain why, if we use (binary) codewords of equal length, then the length of a codeword must be at least 6. By using the ideas of Huffman's algorithm (you should not need to go through all the steps) obtain a set of codewords such that the *expected* length of a codeword sent is no more than 3.

7 (i) Let $\mathcal{A} = \{1, 2, 3, 4\}$. Suppose that the probability that letter k is chosen is $k/10$. Using a calculator, if necessary, find $\lceil -\log_2 p_k \rceil$ and write down a Shannon–Fano code c .

(ii) Apply Huffman's algorithm to the four messages M_j , where M_j has probability $j/10$ for $1 \leq j \leq 4$. Denoting by c_H the Huffman code for this system, show that the entropy is approximately 1.85, that $\mathbb{E}|c(A)| = 2.4$ and that $\mathbb{E}|c_H(A)| = 1.9$. Check that these results are consistent with the appropriate results in the course.

8 Use the ideas of Shannon-Fano and Huffman to construct prefix-free binary codes for messages M_1, \dots, M_5 emitted either (a) with equal probabilities, or (b) with probabilities 0.3, 0.3, 0.2, 0.15, 0.05. Compare the expected word lengths in each case.

9 Messages M_1, \dots, M_5 are emitted with probabilities 0.4, 0.2, 0.2, 0.1, 0.1. Find an optimal binary code. Determine whether there are optimal binary codes with (a) all but one codeword of the same length, or (b) each codeword a different length.

10 You are playing bridge with a partner and two opponents. The pack (of 52 cards) is dealt to provide 4 hands of 13 cards each. A simple representation for the hand you get would assign a unique 6-bit binary number to represent each card; then a 78-bit message represents your hand, a 156-bit message your pair's hands and a 312-bit message the whole deal. Let's try to do better. Assume all possible deals are equally likely. Show that there are $52!/(13!39!)$ different hands you might obtain. Show also that there are $52!/(13!)^4$ different deals.

(i) If the contents of a hand are conveyed by one player to their partner by a series of nods and shakes of the head how many movements of the head are required? Show that at least 40 movements are required. Give a simple code requiring 52 movements.

[You may assume for simplicity that the player to whom the information is being communicated does not look at her own cards. (In fact this does not make a difference since the two players do not acquire any shared information by looking at their own cards.)]

(ii) If instead the player uses the initial letters of words (say using the 16 most common letters), how many words will she need to utter?

11 (i) By analysing the Huffman algorithm, show that, if a source emits $m \geq 2$ words, and if s_1, s_2, \dots, s_m are the lengths of the codewords in an optimal binary encoding, then

$$s_1 + s_2 + \dots + s_m \leq (m^2 + m - 2)/2.$$

(ii) In Huffman's algorithm with the binary alphabet applied to m source words, the lengths of the words in the final optimal encoding are s_1, s_2, \dots, s_m . Prove that

$$s_1 + s_2 + \dots + s_m \geq m \log_2 m.$$

12 A binary Huffman code is used for encoding symbols $1, \dots, m$ occurring with probabilities $p_1 \geq \dots \geq p_m > 0$ where $\sum_{1 \leq j \leq m} p_j = 1$. Let s_1 be the length of a shortest codeword and s_m of longest codeword. Determine the maximal and minimal values of s_1 and s_m , and find binary trees for which they are attained.

13 In the binary case the Huffman code is defined by combining the two letters with smallest probabilities.

(i) Give the appropriate generalisation of Huffman's algorithm to an alphabet with a symbols when you have m messages and $m \equiv 1 \pmod{a-1}$.

(ii) Prove that your algorithm gives an optimal solution.

(iii) Extend the algorithm to cover general m by introducing messages of probability zero.

(iv) Carry this out for a ternary ($a = 3$) coding of a source with probabilities 0.2, 0.2, 0.15, 0.15, 0.1, 0.1, 0.05, 0.05.

(v) Show that if a ternary decodable code of size m achieves the lower bound in the Noiseless Coding Theorem then m is odd.

14 You are given m apparently identical coins, one of which may be a forgery. Counterfeit coins are either too light or too heavy. You have a balance, on which you may place any of the coins you like and determine whether the coins in one pan are together lighter than, heavier than or the same weight as those in the other. Using the balance you wish to detect whether there is a forgery and, if so, which coin it is and whether it is lighter or heavier.

Prove that, in any system of weighings which solves this problem, the maximum number of weighings involved cannot be less than $\log_3(2m+1)$.

[Optional] Show that for $m = 12$ three weighings suffice. [This problem 'is said to have been planted during the war ... by enemy agents since Operational Research spent so many man-hours on its solution.'²]

15 Extend the definition of entropy to a random variable X taking values in the non-negative integers. (You must allow for the possibility of infinite entropy.)

Compute the expected value $\mathbb{E}Y$ and entropy $H(Y)$ in the case when Y has the geometric distribution, that is to say $\mathbb{P}(Y = k) = p^k(1-p)$ [$0 < p < 1$]. Show that, amongst all random variables X taking values in the non-negative integers with the same expected value μ [$0 < \mu < \infty$], the geometric distribution maximises the entropy.

²The quotation is lifted from Pedoe's *The Gentle Art of Mathematics* which also gives an attractive solution. Niobe, the protagonist of Piers Anthony's novel *With a Tangled Skein*, must solve the twelve-coin variation of this puzzle to find her son in Hell: Satan has disguised the son to look identical to eleven other demons, and he is heavier or lighter depending on whether he is cursed to lie or able to speak truthfully.

16 Suppose that a source emits letters from the finite alphabet $\mathcal{A} = \{1, 2, \dots, n\}$, each letter i occurring with (known) probability $p_i > 0$. Let S be the random codeword-length when the message is encoded by a decodable code $c : \mathcal{A} \rightarrow \mathcal{B}^*$ where \mathcal{B} is an alphabet of k letters. It is desired to find a decodable code that minimizes the expected value of k^S . Establish the lower bound

$$\left(\sum_{i=1}^n \sqrt{p_i} \right)^2 \leq \mathbb{E}(k^S)$$

and characterise when equality occurs. [Hint: Cauchy–Schwarz, $p_i^{1/2} = p_i^{1/2} k^{s_i/2} k^{-s_i/2}$.]

Prove that an optimal code for the above criterion must satisfy

$$\mathbb{E}(k^S) < k \left(\sum_{i=1}^n \sqrt{p_i} \right)^2 .$$

[Hint: Look for a code with codeword lengths $s_i = \lceil -\log_k p_i^{1/2} / \lambda \rceil$ for an appropriate λ .]

SM, Lent Term 2013

Comments on and corrections to this sheet may be emailed to sm@dpmms.cam.ac.uk