Stochastic Financial Models

Michael Tehranchi

Example sheet 4 - Michaelmas 2021

1. Let $(X_n)_{n\geq 0}$ be a simple symmetric random walk starting at $X_0 = 0$, so $X_n = \xi_1 + \ldots + \xi_n$ where $(\xi_n)_{n\geq 1}$ are independent copies of ξ with $\mathbb{P}(\xi=\pm 1)=\frac{1}{2}$. For $\delta>0$, let

$$W_{(n+p)\delta}^{(\delta)} = \sqrt{\delta}(X_n + p\xi_{n+1})$$

for integer $n \ge 0$ and $0 \le p < 1$. Confirm that

(a) $t \mapsto W_t^{(\delta)}$ is continuous,

(b) $W_t^{(\delta)} - W_s^{(\delta)}$ is independent of $(W_u^{(\delta)})_{0 \le u \le s-\delta}$ where $\delta \le s \le t$ (c) $W_t^{(\delta)} - W_s^{(\delta)}$ converges in distribution to N(0, t-s) as $\delta \downarrow 0$. [It is a fact that if $Y_{\delta} \to Y$ in distribution and $Z_{\delta} \to 0$ in distribution, then $Y_{\delta} + Z_{\delta} \to Y$ in distribution.]

2. If $(W_t)_{t\geq 0}$ is a Brownian motion, show that the following processes are martingales:

(i) $W_t^2 - t$.

(ii)
$$W_t^3 - 3tW_t$$
.

(iii) $e^{\theta W_t - \theta^2 t/2}$ for any $\theta \in \mathbb{R}$.

3. Let $T_a = \inf\{t \ge 0 : W_t = a\}$ be the first time that a Brownian motion hit level a > 0. Using a suitable martingale and the optional stopping theorem, show that the Laplace transform of T_a is given by $\mathbb{E}[e^{-\lambda T_a}] = e^{-a\sqrt{2\lambda}}$.

For the brave of heart: confirm this by integrating the density of T_a as derived from the reflection principle. It is a fact that the optional stopping theorem holds for continuous martingales.

4. Let $(W_t)_{t\geq 0}$ be a Brownian motion. Show that the random variable $\sup_{u\geq 1}\frac{W_u}{u}$ has the same distribution as $|W_1|$. [Hint: Recall the time inversion of Brownian motion.]

5. Let $M_t = \max_{0 \le s \le t} W_t$. For suitable g and $a \ne -\frac{1}{2}$ show that

$$\mathbb{E}[g(aW_t + M_t)] = \frac{a+1}{2a+1} \mathbb{E}[g((a+1)|W_t|)] + \frac{a}{2a+1} \mathbb{E}[g(-a|W_t|)]$$

for all t > 0.

6. Find the moment generating function $\mathbb{E}[e^{\theta Y}]$ of $Y = \max_{0 \le s \le t} (W_s + cs)$ for a constant c, in the case where $\theta \neq -2c$.

7. Let
$$v^{(\delta)}(t,x) = \mathbb{E}[g(x+W_t^{(\delta)})]$$
 where $W_t^{(\delta)}$ is defined in Problem 1. Show that

$$\frac{v^{(\delta)}(t+\delta,x) - v^{(\delta)}(t,x)}{\delta} = \frac{v^{(\delta)}(t,x+\sqrt{\delta}) - 2v^{(\delta)}(t,x) + v^{(\delta)}(t,x-\sqrt{\delta})}{2\delta}$$

Comment.

8. Show that the following functions satisfy the backward heat equation $\partial_t u + \frac{1}{2} \partial_{xx} u = 0$.

(i)
$$u(t,x) = x^2 - t$$
.
(ii) $u(t,x) = x^3 - 3tx$.
(iii) $u(t,x) = e^{\theta x - \theta^2 t/2}$ for any $\theta \in \mathbb{R}$

Comment.

9. Let v solve the heat equation

$$\partial_\tau v = \frac{1}{2} \partial_{xx} v$$

and let $V(t,s) = e^{-r(T-t)}v(\sigma^2(T-t), \log s + (r-\sigma^2/2)(T-t))$. Verify that V solves the Black-Scholes PDE

$$\partial_t V + rs\partial_s V + \frac{1}{2}\sigma^2 s^2 \partial_{ss} V = rV$$

10. In the Black–Scholes model, find the time-t prices of European contingent claims which pay at time T the amounts: (a) $\sqrt{S_T}$, (b) $\log S_T$, (c) $\int_0^T S_u du$ In each case, how many shares should be held at time t to replicate the payout?

11. Let $EC(S_0, K, \sigma, r, T)$ denote the initial price in of a European call option with strike K, expiry T on an asset with initial price S_0 , in the Black-Scholes model volatility with σ and interest rate is r. Let $EP(S_0, K, \sigma, r, T)$ be the price of the European put with the same parameters. Verify the *put-call symmetry* formula

$$EP(S_0, K, \sigma, r, T) = EC(Ke^{-rT}, S_0e^{rT}, \sigma, r, T)$$

12. Show that $EC(S_0, K, \sigma, r, T)$ is strictly decreasing in the strike price K, and is strictly increasing in the initial stock price S_0 , in the volatility σ , in the interest rate r and in the expiry T. Furthemore, show that is strictly convex in both S_0 and K.

What are the corresponding statements for the Black–Scholes price of a European put option?

13. A European *lookback* call option entitles the holder to buy one share of stock at the expiry time T at the lowest price reached by the stock during the life of the option. Thus, if it is purchased at time 0, at time T it pays off the amount $S_T - \inf_{0 \le u \le T} S_u$. In the Black-Scholes model show that the initial price of such an option is

$$\frac{S_0}{a} \left[(a+1)\Phi\left(\frac{1}{2}(a+1)\sigma\sqrt{T}\right) - e^{-rT}(a-1)\Phi\left(\frac{1}{2}(a-1)\sigma\sqrt{T}\right) - 1 \right],$$

> 0, where $a = 2r/\sigma^2$

assuming r > 0, where $a = 2r/\sigma^2$.

14. Using the notation of Problem 11, show that the initial Black–Scholes price of a downand-out call with strike K and a barrier at B, where $B < \min\{S_0, K\}$, can be expressed as

$$EC(S_0, K, \sigma, r, T) - (B/S_0)^{2r/\sigma^2 - 1}EC(B^2/S_0, K, \sigma, r, T).$$